

# AL NAIME

## Trading Building Materials

### United Arab Emirates

#### **Al Naime Trading Building Materials**

Office 209, Holy Quran Building  
Al Mamzar, Dubai, UAE  
Email: info@alneaimy.com  
Tel: +971 42560802/2560137;  
Fax: +971 42560803

#### **Akram Al Neami Building Materials Trading Co.**

Office 209, Holy Quran Building  
Al Mamzar, Dubai, UAE  
Email: info@alneaimy.com  
Tel: +971 42560802/2560137;  
Fax: +971 42560803

### Iraq

#### **Halaat Al Shams Co.**

Al Sibaah Square  
Al Kifaah St, Baghdad  
Email : info\_shop@alneaimy.com  
Tel: +964 7400558887  
+964 7702885520  
+9647903960030

#### **Halaat Al Shams Co.**

Jisrdeala Store / Warehouse  
Email : info\_jisrdeala@alneaimy.com  
Tel: +964 7811844938  
+9647505005920

[www.alneaimy.com](http://www.alneaimy.com)





# COMPANY PROFILE

Al Naime Trading Building Materials is a Free Zone company based in Jebel Ali, Dubai. We established in Dubai in 2004 but our roots are there since 1956 in Baghdad, Iraq "Halaat Al Shams Co."

We became the largest stock holders by keeping at least 70,000 metric tons of building materials in a more than 100,000 square meters stores in Iraq. This is possible because of the cooperation of 60 employees running the establishment to be the leading company in the Middle East.

"Akram Al Neami Building Materials Trading Co" is our sister company that is responsible for our MENA region logistics.

## VISION

To be the most efficient, trusted and acknowledged company across the Middle East in Oil and Gas Material Supplies.

## MISSION

To satisfy and fulfill our client needs with the best material and services all the time.

## QUALITY MANAGEMENT



Our company offers a variety of building materials ranging from Pipes, Valves, Fittings and Flanges. All materials are from the best mills in Ukraine, Spain, Italy, Austria, Turkey, Oman, India and China. Our products are stored according to the best standards and specifications, all of which comes with Material Test Certificate(MTC)

Al Naime Trading Building Material FZCO is an authorized and exclusive distributor of the best quality mills around the world for different needs.



ULMA - Flanges



Hebei Xinfeng - Fittings & flanges



Sara - Hammer Union



# Products

## Pipes & Tubes

Types	Range	Grade
<i>Galvanized Pipes</i>	<i>1/2" - 12"</i>	<i>BS1387 / 1985</i>
<i>Carbon Steel Low Temperature Seamless Tube</i>	<i>1/4" - 24"</i>	<i>A106/A53 GR.B</i>
<i>Carbon Steel low Temperature Welded Pipes</i>	<i>1/4" - 24"</i>	<i>A333 Gr6/A333 Gr3</i>
<i>Carbon Steel Low Temperature Welded Pipes</i>	<i>20" - 48"</i>	<i>A671 CC60 &amp; A671</i>
<i>Carbon Steel Welded - ERW/HFW/SAW/DSAW</i>	<i>2" - 48"</i>	<i>A53 Gr.B/API 5L Gr.B/X42/X52/X60/X65</i>
<i>Stainless Steel Seamless Pipes</i>	<i>3/8" - 12"</i>	<i>A312 TP316/316L/A312 TP304/304L/A312 TP321</i>
<i>Stainless Steel Welded Pipe</i>	<i>2"-24"</i>	<i>A312 TP316/316L/A312 TP304/304L/A358/TP316/316L/A358/TP304/304</i>
<i>Alloy Pipes</i>	<i>1/2" - 24"</i>	<i>ASTM A335 P1/P2/P5/P9/P11/12&amp;P22</i>
<i>Duplex/Super Duplex Seamless Pipe</i>	<i>1/2" - 8"</i>	<i>ASTM 790</i>
<i>Duplex/Super Duplex Welded Pipe</i>	<i>8" - 24"</i>	<i>ASTM A928/ASTM 790</i>
<i>Casing Pipe</i>	<i>2 7/8" - 13 3/8"</i>	<i>J55/K55/L80/N80/C90/T95/P110/API 5 CT</i>
<i>Drill Pipe</i>	<i>2 3/8" - 5"</i>	<i>E75/X95XG105/S315/API 5D</i>



# Valves

<i>Valve Type</i>	<i>Rating</i>	<i>Range</i>	<i>Connection</i>	<i>Material Grade</i>
-------------------	---------------	--------------	-------------------	-----------------------

## Gate Valve:

<b>Cast Steel Gate Valve</b>	<b>150-1500</b>	<b>2" - 48"</b>	<b>Flanged</b>	<b>ASTM A216 WCB</b>
<b>Cast Iron Gate</b>	<b>PN16</b>	<b>2" - 24"</b>	<b>Flanged</b>	<b>BS5163/BS4504</b>
<b>Forged Steel Gate Valve</b>	<b>800-1500</b>	<b>1/4" - 2"</b>	<b>Flanged</b>	<b>ASTM A105</b>
<b>Forged Steel PS Gate Valve</b>	<b>800-1500</b>	<b>1/2" - 4"</b>	<b>NPT/SW</b>	<b>ASTM A105</b>

## Globe Valve:

<b>Cast Steel Globe Valve</b>	<b>150-1500</b>	<b>2"-48"</b>	<b>Flanged</b>	<b>ASTM A216 WCB</b>
<b>Cast Iron Globe Valve</b>	<b>PN16</b>	<b>2" - 24"</b>	<b>Flanged</b>	<b>BS5163/BS4504</b>
<b>Forged Steel Globe Valve</b>	<b>800-1500</b>	<b>1/4" - 4"</b>	<b>NPT/SW/Flange</b>	<b>ASTM A105</b>

## Ball Valve:

<b>Floating Ball Valve</b>	<b>150-1500</b>	<b>2" - 12"</b>	<b>Flanged</b>	<b>ASTM A216 WCB</b>
<b>Trunnion Mounted Ball Valve</b>	<b>150-1500</b>	<b>6" - 24"</b>	<b>Flanged</b>	<b>ASTM A216 WCB/A105</b>
<b>3PCS Forged Steel Ball Valve</b>	<b>800 WOG</b>	<b>1/2" - 2"</b>	<b>NPT/SW</b>	<b>ASTM A105</b>





<i>Valve Types</i>	<i>Rating</i>	<i>Range</i>	<i>Connection</i>	<i>Material Grade</i>
--------------------	---------------	--------------	-------------------	-----------------------

**Ball Valve:**

<b>3 PCS Stainless Steel Ball Valve</b>	<b>1000 WOG</b>	<b>1/2" - 4"</b>	<b>NPT/SW</b>	<b>SS316/SS304</b>
<b>2 PCS Forged Steel Ball Valve</b>	<b>800 WOG</b>	<b>1/2" - 2"</b>	<b>NPT/SW</b>	<b>ASTM A105</b>
<b>2 PCS Stainless Steel Ball Valve</b>	<b>1000/3000 WOG</b>	<b>1/2" - 4"</b>	<b>NPT/SW</b>	<b>SS316/SS304</b>
<b>1 PC Carbon Steel Ball Valve</b>	<b>800 WOG</b>	<b>1/2" - 2"</b>	<b>NPT/SW</b>	<b>ASTM A216 WCB</b>
<b>1 PC Stainless Steel Ball Valve</b>	<b>800 WOG</b>	<b>1/2" - 2"</b>	<b>NPT/SW</b>	<b>ASTM A216 WCB</b>

**Check Valve:**

<b>Cast Steel Swing Check Valve</b>	<b>150-1500</b>	<b>2" - 48"</b>	<b>Flanged</b>	<b>ASTM A216 WCB</b>
<b>Cast Iron Swing Check Valve</b>	<b>PN16</b>	<b>2" - 24"</b>	<b>Flanged</b>	<b>BS5163/BS4504</b>
<b>Forged Steel Check Valve</b>	<b>800LB</b>	<b>1/2" - 2"</b>	<b>NPT/SW/Flanged</b>	<b>ASTM A105</b>



<i>Valve Types</i>	<i>Rating</i>	<i>Range</i>	<i>Connection</i>	<i>Material Grade</i>
--------------------	---------------	--------------	-------------------	-----------------------

### Butterfly Valve:

<b>Wafer Type Butterfly Valve</b>	<b>BS 4504/SS316</b>	<b>2" - 24"</b>		
-----------------------------------	----------------------	-----------------	--	--

### Y Strainer:

<i>Strainer Type</i>	<i>Rating</i>	<i>Range</i>	<i>Connection</i>	<i>Material Grade</i>
----------------------	---------------	--------------	-------------------	-----------------------

<b>Cast Steel Y Strainer</b>	<b>150-1500</b>	<b>2" - 24"</b>	<b>Flanged</b>	<b>ASTM A216 WCB</b>
<b>Cast Iron Y Strainer</b>	<b>PN16</b>	<b>2" - 24"</b>	<b>Flanged</b>	<b>BS4504</b>

### Flanges:

<i>Flange Type</i>	<i>Rating</i>	<i>Range</i>	<i>Connection</i>	<i>Material Grade</i>
--------------------	---------------	--------------	-------------------	-----------------------

<b>Weld Neck Flange</b>	<b>150-1500/PN16</b>	<b>1/2" - 48"</b>	<b>RF/RTJ</b>	<b>A105/B16.5/BS4504</b>
<b>Blind Flange</b>	<b>150-1500/PN16</b>	<b>1/2" - 48"</b>	<b>RF/RTJ</b>	<b>A105/B16.5/BS4504</b>
<b>Slip On Flange</b>	<b>150-1500/PN16</b>	<b>1/2"-48"</b>	<b>RF/RTJ</b>	<b>A105/B16.5/BS4504</b>
<b>Flat Flange</b>	<b>PN16</b>	<b>1/2" - 12"</b>		<b>BS4504</b>

### Gasket:

<i>Flange Type</i>	<i>Rating</i>	<i>Range</i>	<i>Material Grade</i>
--------------------	---------------	--------------	-----------------------

<b>Spiral Wound Gasket</b>	<b>150-1500</b>	<b>2" - 32"</b>	<b>Graphite+CS+304L+316L</b>
<b>Ring Type Joint Gasket</b>	<b>150-1500</b>	<b>2" - 32"</b>	<b>304L/316</b>





## Forged Steel High Pressure Pipe Fittings

<i>Types Name</i>	<i>Rating</i>	<i>Range</i>	<i>Connection</i>	<i>Material Grade</i>
<i>Elbow 45 Degree</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Elbow 90 Degree</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Street Elbow</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Equal Tee</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Reducer Tee</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Cross</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Full Coupling</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Half Coupling</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Reducer Socket Coupling</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Union</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Cap</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Hex Nipple</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Reducer Hex Nipple</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Bush</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Reducer Bush</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Hex Plug</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Boss</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Branch Outlet</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>
<i>Weldolet</i>	<i>3000-6000</i>	<i>1/4" - 2"</i>	<i>NPT/SW</i>	<i>A105</i>





## Carbon Steel Butt-Weld Fittings

<b>Types Name</b>	<b>Rating</b>	<b>Range</b>	<b>Material Grade</b>
Elbow 45 Degree	SCH40-160	1/2" - 48"	A234
Elbow 90 Degree	SCH40-STD-XXS	1/2" - 48"	A234
Elbow 180 Degree	SCH40/STD	1/2" - 36"	A234
Straight Tee	SCH40/STD/SCH160	1/2" - 48"	A234
Reducer Tee	SCH40/STD120	1/2" - 36"	A234
Concentric Reducer	SCH40/SCH120	1/2" - 36"	A234
Eccentric Reducer	SCH40/STD120	1/2" - 36"	A234
Cap	SCH40/STD120	1/2" - 36"	A234
Weldolet	SCH80/SCH60/SCH160	1/2" - 36"	A234

## Expansion Joints

<b>Types Name</b>	<b>Rating</b>	<b>Range</b>	<b>Material Grade</b>
Rubber Expansion Joints	150/300/PN16	2" - 32"	A105 / EPMD
Stainless Steel Expansion Joints	150/300	2" - 32"	304/316 /A105

## Stud Bolts & Nuts

<b>Types Name</b>	<b>Rating</b>	<b>Range</b>	<b>Material Grade</b>
Threaded Stud Bolts	B7	1/4" - 3"	ASTM A193
Carbon Steel Hex Nuts	2H	5/8" - 3"	ASTM A194





